



KEY STATE-SPECIFIC TOBACCO-RELATED DATA & RANKINGS

State	Adult Smoking Rate	Adult Smoking Rank (1=low)	Pregnant Smoking Rate [€]	Youth Smoking Rate*	New Youth Smokers Per Year	Annual Adult Smoking Deaths (approx.)	Kids Now Alive Who Will Become Smokers	Kids Now Alive Who Will Die From Smoking	Smoking Caused Health Costs 2004 (millions)	Cigarette Tax [†] (per pack)	Cigarette Tax Rank (1 = high)	FY 2012 Funding for State TC Programs (millions)	Tobacco Prevention Spending % of CDC Target	Tobacco Prevention Spending Rank [‡] (1 = high)
All States	19.3%	<i>///</i>	10.7%	19.5%	376,000	400,000[§]	20+ mill.	6+ million	\$96 bill.	\$1.46	<i>///</i>	\$456.7	12.4%	-
Alabama	21.9%	44th	12.1%	20.8%	10,000	7,500	543,000	174,000	\$1.49 bill.	\$0.425	47th	NA	NA	NA
Alaska	20.4%	39th	14.5%	15.7%	1,000	490	56,000	18,000	\$169	\$2.00	11th	\$10.8	101.3%	1st
Arizona	13.5%	4th	6.3%	19.7%	6,000	6,800	328,000	105,000	\$1.3 bill.	\$2.00	11th	\$18.0	26.4%	14th
Arkansas	22.9%	47th	16.5%	23.5%	3,700	4,900	200,000	64,000	\$812	\$1.15	29th	\$7.4	20.5%	17th
California	12.1%	2nd	NA	<i>13.8%</i>	34,400	36,600	1,862,000	596,000	\$9.14 bill.	\$0.87	33rd	\$70.0	15.8%	22nd
Colorado	16.0%	19th	8.8%	17.7%	5,300	4,300	288,000	92,000	\$1.31 bill.	\$0.84	34th	\$6.5	11.9%	25th
Connecticut	13.2%	3rd	7.0%	15.3%	4,300	4,700	237,000	76,000	\$1.63 bill.	\$3.40	3rd	\$0.0	0.0%	50th
Delaware	17.3%	26th	12.9%	14.9%	1,000	1,100	57,000	18,000	\$284	\$1.60	20th	\$9.0	64.9%	4th
DC	14.8%	8th	3.9%	10.6%	400	720	25,000	8,000	\$243	\$2.50	10th	\$0.0	0.0%	50th
Florida	17.1%	24th	7.5%	11.9%	21,300	28,600	1,153,000	369,000	\$6.32 bill.	\$1.339	26th	\$62.3	29.5%	13th
Georgia	17.6%	28th	6.5%	16.9%	10,600	10,500	576,000	184,000	\$2.25 bill.	\$0.37	48th	\$2.0	1.7%	40th
Hawaii	14.5%	7th	5.9%	11.3%	1,500	1,100	85,700	27,400	\$336	\$3.20	4th	\$10.7	70.3%	3rd
Idaho	15.7%	16th	10.5%	14.5%	1,300	1,500	75,000	24,000	\$319	\$0.57	42nd	\$0.9	5.2%	34th
Illinois	16.9%	21st	7.4%	18.1%	18,300	16,600	991,000	317,000	\$4.10 bill.	\$0.98	32nd	\$9.5	6.1%	33rd
Indiana	21.2%	42nd	19.1%	18.1%	9,200	9,700	499,000	160,000	\$2.08 bill.	\$0.995	31st	\$10.1	12.8%	24th
Iowa	16.1%	20th	16.5%	18.9%	3,800	4,400	206,000	66,000	\$1.01 bill.	\$1.36	25th	\$3.3	8.9%	28th
Kansas	17.0%	23rd	12.7%	16.9%	3,100	3,800	170,000	54,000	\$927	\$0.79	36th	\$1.0	3.1%	37th
Kentucky	24.8%	50th	24.4%	26.1%	6,100	7,800	334,000	107,000	\$1.50 bill.	\$0.60	40th	\$2.2	3.9%	36th
Louisiana	22.1%	45th	10.0%	19.4%	6,200	6,500	340,000	109,000	\$1.47 bill.	\$0.36	49th	\$8.4	15.8%	22nd
Maine	18.2%	29th	14.6%	18.1%	1,500	2,200	85,000	27,000	\$602	\$2.00	11th	\$9.4	50.6%	6th
Maryland	15.2%	11th	6.2%	14.1%	6,200	6,800	338,000	108,000	\$1.96 bill.	\$2.00	11th	\$4.3	6.8%	32nd

[€] Pregnant smoking rate in bold type from 2005 and in regular type from 2002.

* Youth smoking rates from most recent years available; in bold type from the Youth Risk Behavioral Surveillance (YRBS); in regular type from Youth Tobacco Surveillance (YTS); and in italics from state-specific surveys; OR data are for 11th grade only. WA data are for 10th grade only. Because of different surveys and years, state rankings based on youth smoking cannot be done.

[†] States that have not increased their tax rate since January 1, 1999 or before are in bold type.

[‡] Ranks are based on CDC's 2007 recommendations for tobacco prevention spending in states.

[§] Adding in nationwide deaths from secondhand smoke (almost 50,000) and deaths to infants from mothers smoking during pregnancy (more than 700) brings the nationwide death total to more than 440,000 per year. CDC, <http://www.cdc.gov/mmwr/PDF/wk/mm5745.pdf>.

State	Adult Smoking Rate	Adult Smoking Rank (1=low)	Pregnant Smoking Rate [€]	Youth Smoking Rate [*]	New Youth Smokers Per Year	Annual Adult Smoking Deaths (approx.)	Kids Now Alive Who Will Become Smokers	Kids Now Alive Who Will Die From Smoking	Smoking Caused Health Costs 2004 (millions)	Cigarette Tax [†] (per pack)	Cigarette Tax Rank (1 = high)	FY 2012 Funding for State TC Programs (millions)	Tobacco Prevention Spending % of CDC Target	Tobacco Prevention Spending Rank [‡] (1 = high)
Massachusetts	14.1%	5th	8.1%	16.0%	6,700	9,000	366,000	117,000	\$3.54 bill.	\$2.51	9th	\$4.2	4.6%	35th
Michigan	18.9%	34th	13.4%	18.8%	17,200	14,500	930,000	298,000	\$3.40 bill.	\$2.00	11th	\$1.8	1.5%	41st
Minnesota	14.9%	9th	9.5%	18.1%	6,800	5,500	368,000	118,000	\$2.06 bill.	\$1.586	22nd	\$19.5	33.4%	10th
Mississippi	22.9%	47th	12.1%	19.6%	3,900	4,700	216,000	69,000	\$719	\$0.68	37th	\$9.9	25.3%	15th
Missouri	21.1%	41st	18.2%	18.9%	8,000	9,500	436,000	140,000	\$2.13 bill.	\$0.17	51st	\$0.1	0.1%	45th
Montana	18.8%	33rd	19.1%	18.7%	1,000	1,400	57,000	18,000	\$277	\$1.70	16th	\$4.7	33.8%	9th
Nebraska	17.2%	25th	15.4%	15.0%	2,000	2,200	111,000	36,000	\$537	\$0.64	38th	\$2.4	11.0%	26th
Nevada	21.3%	43rd	10.0%	17.0%	2,700	3,300	146,000	47,000	\$565	\$0.80	35th	\$0.0	0.0%	50th
N. Hampshire	16.9%	21st	14.0%	20.8%	1,700	1,700	96,000	31,000	\$564	\$1.68	18th	\$0.0	0.0%	50th
New Jersey	14.4%	6th	7.8%	17.0%	9,700	11,200	526,000	168,000	\$3.17 bill.	\$2.70	6th	\$1.2	1.0%	43rd
New Mexico	18.5%	31st	7.9%	24.0%	2,100	2,100	118,000	38,000	\$461	\$1.66	19th	\$5.9	25.3%	15th
New York	15.5%	15th	8.1%	12.6%	22,500	25,400	1,216,000	389,000	\$8.17 bill.	\$4.35	1st	\$41.4	16.3%	20th
North Carolina	19.8%	37th	10.0%	16.7%	11,100	12,200	604,000	193,000	\$2.46 bill.	\$0.45	45th	\$17.3	16.2%	21st
North Dakota	17.4%	27th	17.4%	19.4%	600	800	36,000	11,000	\$247	\$0.44	46th	\$8.1	87.0%	2nd
Ohio	22.5%	46th	18.6%	19.4%	16,900	18,500	914,000	293,000	\$4.37 bill.	\$1.25	27th	\$0.0	0.0%	50th
Oklahoma	23.7%	49th	15.7%	20.2%	5,000	6,200	273,000	87,000	\$1.16 bill.	\$1.03	30th	\$21.2	47.1%	7th
Oregon	15.1%	10th	12.4%	14.9%	4,200	4,900	232,000	74,000	\$1.11 bill.	\$1.18	28th	\$8.3	19.3%	19th
Pennsylvania	18.4%	30th	15.6%	18.4%	17,300	20,000	936,000	300,000	\$5.19 bill.	\$1.60	20th	\$13.9	9.0%	27th
Rhode Island	15.7%	16th	9.6%	13.3%	1,300	1,600	73,000	23,000	\$506	\$3.46	2nd	\$0.4	2.5%	38th
South Carolina	21.0%	40th	15.7%	20.5%	5,900	6,100	321,000	103,000	\$1.09 bill.	\$0.57	42nd	\$5.0	8.0%	31st
South Dakota	15.4%	13th	19.3%	23.2%	1,000	1,000	57,000	18,000	\$274	\$1.53	23rd	\$4.0	35.4%	8th
Tennessee	20.1%	38th	17.1%	20.9%	7,600	9,700	412,000	132,000	\$2.16 bill.	\$0.62	39th	\$0.2	0.3%	44th
Texas	15.8%	18th	6.3%	21.2%	29,100	24,500	1,573,000	503,000	\$5.83 bill.	\$1.41	24th	\$5.5	2.0%	39th
Utah	9.1%	1st	5.0%	8.5%	1,500	1,100	82,000	26,000	\$345	\$1.70	16th	\$7.2	30.4%	12th
Vermont	15.4%	13th	16.7%	13.0%	700	800	39,000	12,000	\$233	\$2.62	7th	\$3.3	31.8%	11th
Virginia	18.5%	31st	7.5%	19.7%	8,700	9,200	475,000	152,000	\$2.08 bill.	\$0.30	50th	\$8.4	8.1%	30th
Washington	15.2%	11th	9.0%	12.7%	7,100	7,600	386,000	124,000	\$1.95 bill.	\$3.025	5th	\$0.8	1.1%	42nd
West Virginia	26.8%	51st	29.7%	21.8%	2,600	3,800	142,000	46,000	\$690	\$0.55	44th	\$5.7	20.3%	18th
Wisconsin	19.1%	35th	14.9%	17.7%	7,400	7,200	402,000	128,000	\$2.02 bill.	\$2.52	8th	\$5.3	8.3%	29th
Wyoming	19.5%	36th	20.7%	22.1%	600	700	36,000	12,000	\$136	\$0.60	40th	\$5.4	60.0%	5th

Sources for Table

Adult Smoking Rates. CDC, "Vital Signs: Current Cigarette Smoking Among Adults Aged \geq 18 Years - United States, 2005-2010," *MMWR* 60, September 9, 2011, http://www.cdc.gov/mmwr/preview/mmwrhtml/mm6035a5.htm?s_cid=mm6035a5_w. State smoking rates: 2010 BRFSS, *Behavioral Risk Factor Surveillance System*.

Pregnancy and Smoking Data. State-specific rates for smoking among pregnant women: "Smoking During Pregnancy—United States, 1990-2002," *MMWR* 53(39):911-15, October 8, 2004, <http://www.cdc.gov/mmwr/PDF/wk/mm5339.pdf> and CDC, "Trends in Smoking Before, During and After Pregnancy – Pregnancy Risk Assessment Monitoring System (PRAMS), 31 Sites 2000-2005" <http://www.cdc.gov/mmwr/preview/mmwrhtml/ss5804a1.htm>. National rate from National Vital Statistics Reports, Births: Final Data for 2005.

Youth Smoking Rates. CDC, Youth Tobacco Surveillance (YTS) Survey and Youth Risk Behavioral Surveillance (YRBS) Survey. State-specific tobacco use surveys. Nationwide rate from the 2009 National Youth Risk Behavior Survey (YRBS).

New Regular Daily Smokers Each Year. Estimate based on U.S. Dept of Health & Human Services (HHS), Substance Abuse and Mental Health Services Administration (SAMHSA), HHS, *Results from the 2010 National Survey on Drug Use and Health, NSDUH: Summary of National Findings*, 2011. <http://oas.samhsa.gov/NSDUH/2k10NSDUH/tabs/Sect4peTabs10to11.pdf>. State-specific numbers based on each state's share of the national number.

Smoking-Caused Deaths. CDC's STATE System (average annual deaths from 2000-2004 <http://apps.nccd.cdc.gov/StateSystem/systemIndex.aspx>. See also, CDC, "State-Specific Smoking-Attributable Mortality and Years of Potential Life Lost—United States, 2000-2004," *MMWR* 58(2), January 22, 2009 <http://www.cdc.gov/mmwr/PDF/wk/mm5802.pdf>. See also, U.S. General Accounting Office (GAO), "CDC's April 2002 Report on Smoking: Estimates of Selected Health Consequences of Cigarette Smoking Were Reasonable," letter to U.S. Rep. Richard Burr, July 16, 2003, <http://www.gao.gov/new.items/d03942r.pdf>. **Projected youth smoking deaths.** CDC, *State Data Highlights 2006*. See also, CDC, "Projected Smoking-Related Deaths Among Youth—United States," *MMWR* 45(44):971-974, November 11, 1996, <http://www.cdc.gov/mmwr/preview/mmwrhtml/00044348.htm>.

Kids Who Will Become Smokers. CDC, *Sustaining State Programs for Tobacco Control, Data Highlights 2006*.

Smoking-Caused Healthcare Costs (and Productivity losses). CDC, *Data Highlights 2006* [and underlying CDC data/estimates]. CDC's STATE System average annual smoking attributable productivity losses from 1997-2001(1999 estimates updated to 2004 dollars; CDC, "Annual Smoking-Attributable Mortality, Years of Potential Life Lost, and Productivity Losses—United States 2000-2004," *MMWR* 57(45):1226-1228, November 14, 2008, <http://www.cdc.gov/mmwr/PDF/wk/mm5745.pdf>. See also, GAO, "CDC's April 2002 Report on Smoking: Estimates of Selected Health Consequences of Cigarette Smoking Were Reasonable," July 16, 2003, <http://www.gao.gov/new.items/d03942r.pdf>; Miller, L, et al., "State Estimates of Total Medical Expenditures Attributable to Cigarette Smoking, 1993," *Public Health Reports* 113: 447-58, Sept/Oct 1998; Zhang, X, et al., "Cost of Smoking to the Medicare Program, 1993," *Health Care Financing Review* 20(4):1-19, Summer 1999 [nationwide smoking-caused health costs = \$89+ billion per year]. For other non-health care smoking-caused costs, see, e.g., U.S. Department of the Treasury, *The Economic Costs of Smoking in the U.S. and the Benefits of Comprehensive Tobacco Legislation*, 1998); Chaloupka, FJ & Warner, KE, "The Economics of Smoking," in Culyer, A & Newhouse, J (eds), *The Handbook of Health Economics*, 2000; Leistikow, BN, et al., "Estimates of Smoking-Attributable Deaths at Ages 15-54, Motherless or Fatherless Youths, and Resulting Social Security Costs in the United States in 1994," *Preventive Medicine* 30:353-60, 2000.

State Cigarette Tax Rates. Orzechowski & Walker, *Tax Burden on Tobacco 2009* [annual report funded by the three major cigarette companies] with updates from media reports, state revenue offices.

State Spending to Prevent and Reduce Tobacco Use. Campaign for Tobacco-Free Kids, et al., *A Decade of Broken Promises: The 1998 State Tobacco Settlement 13 Years Later*, November 17, 2010, http://www.tobaccofreekids.org/what_we_do/state_local/tobacco_settlement/. CDC recommendations for the amounts states should spend to prevent and reduce tobacco use from CDC, *Best Practices for Comprehensive Tobacco Control*, October 2007, http://www.cdc.gov/tobacco/stateandcommunity/best_practices/index.htm.

For more state-specific data, see the Campaign for Tobacco-Free Kids website at http://www.tobaccofreekids.org/what_we_do/state_local/tobacco_settlement/ and http://www.tobaccofreekids.org/facts_issues/fact_sheets/.