


Alabama


State Spending Summary	FY2019	FY2018
State Ranking	38	41
State Spending On Tobacco Prevention	\$2.1 million	\$1.3 million
% of CDC Recommended Spending (\$55.9 million)	3.7%	2.3%



Tobacco's Toll in Alabama	
Adults who smoke	20.9%
High school students who smoke	14.0%
High school students who use e-cigarettes	24.5%
Deaths caused by smoking each year	8,600
Annual health care costs directly caused by smoking	\$1.88 billion
Proportion of cancer deaths attributable to smoking	31.3%
Residents' state & federal tax burden from smoking-caused government expenditures	\$834 per household
Estimated annual tobacco industry marketing in state	\$210.0 million
Ratio of industry marketing to state tobacco prevention spending	100.6 to 1

Alabama

Total Annual Tobacco Prevention Spending FY2007-FY2019




CDC Recommended Spending: \$55.9 million

*Alabama's FY12 and FY13 tobacco prevention program budget was not available at the time this report went to press.

Alaska


State Spending Summary	FY2019	FY2018
State Ranking	1	2
State Spending On Tobacco Prevention	\$9.1 million	\$9.5 million
% of CDC Recommended Spending (\$10.2 million)	89.4%	93.1%



Tobacco's Toll in Alaska	
Adults who smoke	21.0%
High school students who smoke	10.9%
High school students who use e-cigarettes	15.7%
Deaths caused by smoking each year	600
Annual health care costs directly caused by smoking	\$438 million
Proportion of cancer deaths attributable to smoking	31.4%
Residents' state & federal tax burden from smoking-caused government expenditures	\$1,125 per household
Estimated annual tobacco industry marketing in state	\$18.9 million
Ratio of industry marketing to state tobacco prevention spending	2.1 to 1

Alaska


Total Annual Tobacco Prevention Spending FY2007-FY2019



CDC Recommended Spending: \$10.2 million

Arizona


State Spending Summary	FY2019	FY2018
State Ranking	17	16
State Spending On Tobacco Prevention	\$17.3 million	\$17.8 million
% of CDC Recommended Spending (\$64.4 million)	26.9%	27.6%



Tobacco's Toll in Arizona	
Adults who smoke	15.6%
High school students who smoke	7.1%
High school students who use e-cigarettes	16.1%
Deaths caused by smoking each year	8,300
Annual health care costs directly caused by smoking	\$2.38 billion
Proportion of cancer deaths attributable to smoking	28.7%
Residents' state & federal tax burden from smoking-caused government expenditures	\$674 per household
Estimated annual tobacco industry marketing in state	\$113.5 million
Ratio of industry marketing to state tobacco prevention spending	6.5 to 1

Arizona


Total Annual Tobacco Prevention Spending FY2007-FY2019



CDC Recommended Spending: \$64.4 million

Arkansas


State Spending Summary	FY2019	FY2018
State Ranking	14	18
State Spending On Tobacco Prevention	\$12.0 million	\$8.9 million
% of CDC Recommended Spending (\$36.7 million)	32.7%	24.3%



Tobacco's Toll in Arkansas	
Adults who smoke	22.3%
High school students who smoke	13.7%
High school students who use e-cigarettes	13.9%
Deaths caused by smoking each year	5,800
Annual health care costs directly caused by smoking	\$1.21 billion
Proportion of cancer deaths attributable to smoking	33.5%
Residents' state & federal tax burden from smoking-caused government expenditures	\$956 per household
Estimated annual tobacco industry marketing in state	\$116.1 million
Ratio of industry marketing to state tobacco prevention spending	9.7 to 1

Arkansas


Total Annual Tobacco Prevention Spending FY2007-FY2019



CDC Recommended Spending: \$36.7 million

California


State Spending Summary	FY2019	FY2018
State Ranking	2	1
State Spending On Tobacco Prevention	\$250.4 million	\$327.8 million*
% of CDC Recommended Spending (\$347.9 million)	72.0%	94.2%



Tobacco's Toll in California	
Adults who smoke	11.3%
High school students who smoke	5.4%
High school students who use e-cigarettes	17.3%
Deaths caused by smoking each year	40,000
Annual health care costs directly caused by smoking	\$13.29 billion
Proportion of cancer deaths attributable to smoking	25.5%
Residents' state & federal tax burden from smoking-caused government expenditures	\$706 per household
Estimated annual tobacco industry marketing in state	\$618.2 million
Ratio of industry marketing to state tobacco prevention spending	2.5 to 1

*FY2018 state spending on tobacco prevention represents five quarters worth of funding.

California Total Annual Tobacco Prevention Spending FY2007-FY2019




CDC Recommended Spending: \$347.9 million

*FY2018 state spending on tobacco prevention represents five quarters worth of funding.


Colorado

State Spending Summary	FY2019	FY2018
State Ranking	7	6
State Spending On Tobacco Prevention	\$23.6 million	\$24.2 million
% of CDC Recommended Spending (\$52.9 million)	44.6%	45.7%



Tobacco's Toll in Colorado	
Adults who smoke	14.6%
High school students who smoke	7.0%
High school students who use e-cigarettes	26.2%
Deaths caused by smoking each year	5,100
Annual health care costs directly caused by smoking	\$1.89 billion
Proportion of cancer deaths attributable to smoking	25.7%
Residents' state & federal tax burden from smoking-caused government expenditures	\$654 per household
Estimated annual tobacco industry marketing in state	\$140.3 million
Ratio of industry marketing to state tobacco prevention spending	5.9 to 1


Colorado Total Annual Tobacco Prevention Spending FY2007-FY2019



CDC Recommended Spending: \$52.9 million


Connecticut

State Spending Summary	FY2019	FY2018
State Ranking	49	50
State Spending On Tobacco Prevention	\$0.0	\$0.0
% of CDC Recommended Spending (\$32.0 million)	0.0%	0.0%



Tobacco's Toll in Connecticut	
Adults who smoke	12.7%
High school students who smoke	3.5%
High school students who use e-cigarettes	14.7%
Deaths caused by smoking each year	4,900
Annual health care costs directly caused by smoking	\$2.03 billion
Proportion of cancer deaths attributable to smoking	27.0%
Residents' state & federal tax burden from smoking-caused government expenditures	\$830 per household
Estimated annual tobacco industry marketing in state	\$73.0 million
Ratio of industry marketing to state tobacco prevention spending	-


Connecticut Total Annual Tobacco Prevention Spending FY2007-FY2019



CDC Recommended Spending: \$32.0 million

Delaware


State Spending Summary	FY2019	FY2018
State Ranking	5	4
State Spending On Tobacco Prevention	\$6.3 million	\$6.4 million
% of CDC Recommended Spending (\$13.0 million)	48.4%	48.9%



Tobacco's Toll in Delaware	
Adults who smoke	17.0%
High school students who smoke	6.2%
High school students who use e-cigarettes	13.6%
Deaths caused by smoking each year	1,400
Annual health care costs directly caused by smoking	\$532 million
Proportion of cancer deaths attributable to smoking	30.3%
Residents' state & federal tax burden from smoking-caused government expenditures	\$854 per household
Estimated annual tobacco industry marketing in state	\$46.3 million
Ratio of industry marketing to state tobacco prevention spending	7.4 to 1

Delaware


Total Annual Tobacco Prevention Spending FY2007-FY2019



CDC Recommended Spending: \$13.0 million


District of Columbia

State Spending Summary	FY2019	FY2018
State Ranking	24	33
State Spending On Tobacco Prevention	\$1.9 million	\$931,585
% of CDC Recommended Spending (\$10.7 million)	17.8%	8.7%



Tobacco's Toll in District of Columbia	
Adults who smoke	14.4%
High school students who smoke	12.5%
High school students who use e-cigarettes	10.9%
Deaths caused by smoking each year	800
Annual health care costs directly caused by smoking	\$391 million
Proportion of cancer deaths attributable to smoking	28.2%
Residents' state & federal tax burden from smoking-caused government expenditures	\$817 per household
Estimated annual tobacco industry marketing in state	\$7.1 million
Ratio of industry marketing to state tobacco prevention spending	3.7 to 1


District of Columbia Total Annual Tobacco Prevention Spending FY2007-FY2019



CDC Recommended Spending: \$10.7 million

Florida


State Spending Summary	FY2019	FY2018
State Ranking	9	14
State Spending On Tobacco Prevention	\$70.4 million	\$68.6 million
% of CDC Recommended Spending (\$194.2 million)	36.3%	35.3%



Tobacco's Toll in Florida	
Adults who smoke	16.1%
High school students who smoke	3.6%
High school students who use e-cigarettes	24.8%
Deaths caused by smoking each year	32,300
Annual health care costs directly caused by smoking	\$8.64 billion
Proportion of cancer deaths attributable to smoking	29.4%
Residents' state & federal tax burden from smoking-caused government expenditures	\$760 per household
Estimated annual tobacco industry marketing in state	\$605.3 million
Ratio of industry marketing to state tobacco prevention spending	8.6 to 1

Florida


Total Annual Tobacco Prevention Spending FY2007-FY2019



CDC Recommended Spending: \$194.2 million


Georgia

State Spending Summary	FY2019	FY2018
State Ranking	47	46
State Spending On Tobacco Prevention	\$750,000	\$930,159
% of CDC Recommended Spending (\$106.0 million)	0.7%	0.9%



Tobacco's Toll in Georgia	
Adults who smoke	17.5%
High school students who smoke	12.8%
High school students who use e-cigarettes	8.6%
Deaths caused by smoking each year	11,700
Annual health care costs directly caused by smoking	\$3.18 billion
Proportion of cancer deaths attributable to smoking	29.2%
Residents' state & federal tax burden from smoking-caused government expenditures	\$757 per household
Estimated annual tobacco industry marketing in state	\$347.5 million
Ratio of industry marketing to state tobacco prevention spending	463.4 to 1

Georgia Total Annual Tobacco Prevention Spending FY2007-FY2019




CDC Recommended Spending: \$106.0 million

*Georgia's FY18 state spending number reflects a change in categorization of state spending.

Hawaii


State Spending Summary	FY2019	FY2018
State Ranking	13	5
State Spending On Tobacco Prevention	\$4.5 million	\$6.6 million
% of CDC Recommended Spending (\$13.7 million)	32.9%	48.1%



Tobacco's Toll in Hawaii	
Adults who smoke	12.8%
High school students who smoke	8.1%
High school students who use e-cigarettes	25.5%
Deaths caused by smoking each year	1,400
Annual health care costs directly caused by smoking	\$526 million
Proportion of cancer deaths attributable to smoking	26.0%
Residents' state & federal tax burden from smoking-caused government expenditures	\$817 per household
Estimated annual tobacco industry marketing in state	\$26.2 million
Ratio of industry marketing to state tobacco prevention spending	5.8 to 1

Hawaii


Total Annual Tobacco Prevention Spending FY2007-FY2019



CDC Recommended Spending: \$13.7 million

Idaho


State Spending Summary	FY2019	FY2018
State Ranking	20	23
State Spending On Tobacco Prevention	\$3.6 million	\$2.7 million
% of CDC Recommended Spending (\$15.6 million)	23.3%	17.4%



Tobacco's Toll in Idaho	
Adults who smoke	14.4%
High school students who smoke	9.1%
High school students who use e-cigarettes	14.3%
Deaths caused by smoking each year	1,800
Annual health care costs directly caused by smoking	\$508 million
Proportion of cancer deaths attributable to smoking	26.6%
Residents' state & federal tax burden from smoking-caused government expenditures	\$627 per household
Estimated annual tobacco industry marketing in state	\$48.5 million
Ratio of industry marketing to state tobacco prevention spending	13.4 to 1

Idaho


Total Annual Tobacco Prevention Spending FY2007-FY2019



CDC Recommended Spending: \$15.6 million

Illinois


State Spending Summary	FY2019	FY2018
State Ranking	35	36
State Spending On Tobacco Prevention	\$9.1 million	\$7.3 million
% of CDC Recommended Spending (\$136.7 million)	6.7%	5.3%



Tobacco's Toll in Illinois	
Adults who smoke	15.5%
High school students who smoke	7.6%
High school students who use e-cigarettes	13.2%
Deaths caused by smoking each year	18,300
Annual health care costs directly caused by smoking	\$5.49 billion
Proportion of cancer deaths attributable to smoking	29.3%
Residents' state & federal tax burden from smoking-caused government expenditures	\$911 per household
Estimated annual tobacco industry marketing in state	\$291.5 million
Ratio of industry marketing to state tobacco prevention spending	32.0 to 1

Illinois

Total Annual Tobacco Prevention Spending FY2007-FY2019




CDC Recommended Spending: \$136.7 million

*Illinois's FY16 tobacco prevention program budget was not available when this report went to press.

Indiana


State Spending Summary	FY2019	FY2018
State Ranking	29	27
State Spending On Tobacco Prevention	\$7.5 million	\$7.5 million
% of CDC Recommended Spending (\$73.5 million)	10.2%	10.2%



Tobacco's Toll in Indiana	
Adults who smoke	21.8%
High school students who smoke	8.7%
High school students who use e-cigarettes	10.5%
Deaths caused by smoking each year	11,100
Annual health care costs directly caused by smoking	\$2.93 billion
Proportion of cancer deaths attributable to smoking	30.6%
Residents' state & federal tax burden from smoking-caused government expenditures	\$920 per household
Estimated annual tobacco industry marketing in state	\$296.8 million
Ratio of industry marketing to state tobacco prevention spending	39.6 to 1

Indiana


Total Annual Tobacco Prevention Spending FY2007-FY2019



CDC Recommended Spending: \$73.5 million

Iowa


State Spending Summary	FY2019	FY2018
State Ranking	25	24
State Spending On Tobacco Prevention	\$4.0 million	\$4.1 million
% of CDC Recommended Spending (\$30.1 million)	13.4%	13.5%



Tobacco's Toll in Iowa	
Adults who smoke	17.1%
High school students who smoke	9.9%
High school students who use e-cigarettes	9.0%
Deaths caused by smoking each year	5,100
Annual health care costs directly caused by smoking	\$1.28 billion
Proportion of cancer deaths attributable to smoking	27.8%
Residents' state & federal tax burden from smoking-caused government expenditures	\$816 per household
Estimated annual tobacco industry marketing in state	\$107.0 million
Ratio of industry marketing to state tobacco prevention spending	26.6 to 1

Iowa


Total Annual Tobacco Prevention Spending FY2007-FY2019



CDC Recommended Spending: \$30.1 million

Kansas


State Spending Summary	FY2019	FY2018
State Ranking	41	39
State Spending On Tobacco Prevention	\$847,041	\$847,041
% of CDC Recommended Spending (\$27.9 million)	3.0%	3.0%



Tobacco's Toll in Kansas	
Adults who smoke	17.4%
High school students who smoke	7.2%
High school students who use e-cigarettes	10.6%
Deaths caused by smoking each year	4,400
Annual health care costs directly caused by smoking	\$1.12 billion
Proportion of cancer deaths attributable to smoking	28.6%
Residents' state & federal tax burden from smoking-caused government expenditures	\$752 per household
Estimated annual tobacco industry marketing in state	\$76.3 million
Ratio of industry marketing to state tobacco prevention spending	90.1 to 1

Kansas


Total Annual Tobacco Prevention Spending FY2007-FY2019



CDC Recommended Spending: \$27.9 million

Kentucky


State Spending Summary	FY2019	FY2018
State Ranking	35	37
State Spending On Tobacco Prevention	\$3.8 million	\$2.6 million
% of CDC Recommended Spending (\$56.4 million)	6.7%	4.6%



Tobacco's Toll in Kentucky	
Adults who smoke	24.6%
High school students who smoke	14.3%
High school students who use e-cigarettes	14.1%
Deaths caused by smoking each year	8,900
Annual health care costs directly caused by smoking	\$1.92 billion
Proportion of cancer deaths attributable to smoking	34.0%
Residents' state & federal tax burden from smoking-caused government expenditures	\$1,116 per household
Estimated annual tobacco industry marketing in state	\$276.7 million
Ratio of industry marketing to state tobacco prevention spending	73.3 to 1

Kentucky


Total Annual Tobacco Prevention Spending FY2007-FY2019



CDC Recommended Spending: \$56.4 million

Louisiana


State Spending Summary	FY2019	FY2018
State Ranking	33	29
State Spending On Tobacco Prevention	\$5.4 million	\$5.8 million
% of CDC Recommended Spending (\$59.6 million)	9.0%	9.7%



Tobacco's Toll in Louisiana	
Adults who smoke	23.1%
High school students who smoke	12.3%
High school students who use e-cigarettes	12.2%
Deaths caused by smoking each year	7,200
Annual health care costs directly caused by smoking	\$1.89 billion
Proportion of cancer deaths attributable to smoking	32.6%
Residents' state & federal tax burden from smoking-caused government expenditures	\$1,212 per household
Estimated annual tobacco industry marketing in state	\$187.8 million
Ratio of industry marketing to state tobacco prevention spending	34.9 to 1

Louisiana


Total Annual Tobacco Prevention Spending FY2007-FY2019



CDC Recommended Spending: \$59.6 million

Maine


State Spending Summary	FY2019	FY2018
State Ranking	16	15
State Spending On Tobacco Prevention	\$4.8 million	\$5.3 million
% of CDC Recommended Spending (\$15.9 million)	30.4%	33.0%



Tobacco's Toll in Maine	
Adults who smoke	17.3%
High school students who smoke	8.7%
High school students who use e-cigarettes	15.8%
Deaths caused by smoking each year	2,400
Annual health care costs directly caused by smoking	\$811 million
Proportion of cancer deaths attributable to smoking	29.0%
Residents' state & federal tax burden from smoking-caused government expenditures	\$1,051 per household
Estimated annual tobacco industry marketing in state	\$46.7 million
Ratio of industry marketing to state tobacco prevention spending	9.6 to 1

Maine


Total Annual Tobacco Prevention Spending FY2007-FY2019



CDC Recommended Spending: \$15.9 million

Maryland


State Spending Summary	FY2019	FY2018
State Ranking	22	20
State Spending On Tobacco Prevention	\$10.5 million	\$10.6 million
% of CDC Recommended Spending (\$48.0 million)	21.8%	22.0%



Tobacco's Toll in Maryland	
Adults who smoke	13.9%
High school students who smoke	8.2%
High school students who use e-cigarettes	13.3%
Deaths caused by smoking each year	7,500
Annual health care costs directly caused by smoking	\$2.71 billion
Proportion of cancer deaths attributable to smoking	27.3%
Residents' state & federal tax burden from smoking-caused government expenditures	\$745 per household
Estimated annual tobacco industry marketing in state	\$131.1 million
Ratio of industry marketing to state tobacco prevention spending	12.5 to 1

Maryland


Total Annual Tobacco Prevention Spending FY2007-FY2019



CDC Recommended Spending: \$48.0 million


Massachusetts

State Spending Summary	FY2019	FY2018
State Ranking	37	35
State Spending On Tobacco Prevention	\$4.2 million	\$3.7 million
% of CDC Recommended Spending (\$66.9 million)	6.3%	5.6%



Tobacco's Toll in Massachusetts	
Adults who smoke	13.7%
High school students who smoke	6.4%
High school students who use e-cigarettes	20.1%
Deaths caused by smoking each year	9,300
Annual health care costs directly caused by smoking	\$4.08 billion
Proportion of cancer deaths attributable to smoking	28.1%
Residents' state & federal tax burden from smoking-caused government expenditures	\$969 per household
Estimated annual tobacco industry marketing in state	\$125.1 million
Ratio of industry marketing to state tobacco prevention spending	29.7 to 1


Massachusetts Total Annual Tobacco Prevention Spending FY2007-FY2019



CDC Recommended Spending: \$66.9 million


Michigan

State Spending Summary	FY2019	FY2018
State Ranking	45	45
State Spending On Tobacco Prevention	\$1.6 million	\$1.6 million
% of CDC Recommended Spending (\$110.6 million)	1.5%	1.4%



Tobacco's Toll in Michigan	
Adults who smoke	19.3%
High school students who smoke	10.5%
High school students who use e-cigarettes	14.8%
Deaths caused by smoking each year	16,200
Annual health care costs directly caused by smoking	\$4.59 billion
Proportion of cancer deaths attributable to smoking	29.8%
Residents' state & federal tax burden from smoking-caused government expenditures	\$959 per household
Estimated annual tobacco industry marketing in state	\$320.2 million
Ratio of industry marketing to state tobacco prevention spending	196.3 to 1


Michigan Total Annual Tobacco Prevention Spending FY2007-FY2019



CDC Recommended Spending: \$110.6 million

Minnesota


State Spending Summary	FY2019	FY2018
State Ranking	14	10
State Spending On Tobacco Prevention	\$17.3 million	\$20.6 million
% of CDC Recommended Spending (\$52.9 million)	32.7%	38.9%



Tobacco's Toll in Minnesota	
Adults who smoke	14.5%
High school students who smoke	9.6%
High school students who use e-cigarettes	19.2%
Deaths caused by smoking each year	5,900
Annual health care costs directly caused by smoking	\$2.51 billion
Proportion of cancer deaths attributable to smoking	26.7%
Residents' state & federal tax burden from smoking-caused government expenditures	\$728 per household
Estimated annual tobacco industry marketing in state	\$117.8 million
Ratio of industry marketing to state tobacco prevention spending	6.8 to 1

Minnesota

Total Annual Tobacco Prevention Spending FY2007-FY2019




CDC Recommended Spending: \$52.9 million

*FY19 funding includes funding from the Statewide Health Improvement Partnership (SHIP). The SHIP amount reflects the SHIP grantee expenditures for the time period: 7/1/17-6/30/18.

Mississippi


State Spending Summary	FY2019	FY2018
State Ranking	21	19
State Spending On Tobacco Prevention	\$8.4 million	\$8.4 million
% of CDC Recommended Spending (\$36.5 million)	23.1%	23.1%



Tobacco's Toll in Mississippi	
Adults who smoke	22.2%
High school students who smoke	9.4%
High school students who use e-cigarettes	10.3%
Deaths caused by smoking each year	5,400
Annual health care costs directly caused by smoking	\$1.23 billion
Proportion of cancer deaths attributable to smoking	30.8%
Residents' state & federal tax burden from smoking-caused government expenditures	\$1,023 per household
Estimated annual tobacco industry marketing in state	\$127.3 million
Ratio of industry marketing to state tobacco prevention spending	15.1 to 1

Mississippi


Total Annual Tobacco Prevention Spending FY2007-FY2019



CDC Recommended Spending: \$36.5 million

Missouri


hamState Spending Summary	FY2019	FY2018
State Ranking	48	49
State Spending On Tobacco Prevention	\$48,500	\$48,500
% of CDC Recommended Spending (\$72.9 million)	0.1%	0.1%



Tobacco's Toll in Missouri	
Adults who smoke	20.8%
High school students who smoke	9.2%
High school students who use e-cigarettes	10.9%
Deaths caused by smoking each year	11,000
Annual health care costs directly caused by smoking	\$3.03 billion
Proportion of cancer deaths attributable to smoking	31.3%
Residents' state & federal tax burden from smoking-caused government expenditures	\$930 per household
Estimated annual tobacco industry marketing in state	\$364.9 million
Ratio of industry marketing to state tobacco prevention spending	7,522.8 to 1

Missouri

Total Annual Tobacco Prevention Spending FY2007-FY2019




CDC Recommended Spending: \$72.9 million

*In FY2018 and FY2019 Missouri's state spending was \$48,500.

Montana


State Spending Summary	FY2019	FY2018
State Ranking	12	13
State Spending On Tobacco Prevention	\$5.0 million	\$5.2 million
% of CDC Recommended Spending (\$14.6 million)	34.0%	35.8%



Tobacco's Toll in Montana	
Adults who smoke	17.2%
High school students who smoke	12.1%
High school students who use e-cigarettes	22.5%
Deaths caused by smoking each year	1,600
Annual health care costs directly caused by smoking	\$440 million
Proportion of cancer deaths attributable to smoking	28.4%
Residents' state & federal tax burden from smoking-caused government expenditures	\$727 per household
Estimated annual tobacco industry marketing in state	\$31.3 million
Ratio of industry marketing to state tobacco prevention spending	6.3 to 1

Montana


Total Annual Tobacco Prevention Spending FY2007-FY2019



CDC Recommended Spending: \$14.6 million

Nebraska


State Spending Summary	FY2019	FY2018
State Ranking	26	25
State Spending On Tobacco Prevention	\$2.6 million	\$2.6 million
% of CDC Recommended Spending (\$20.8 million)	12.4%	12.4%



Tobacco's Toll in Nebraska	
Adults who smoke	15.4%
High school students who smoke	7.4%
High school students who use e-cigarettes	9.4%
Deaths caused by smoking each year	2,500
Annual health care costs directly caused by smoking	\$795 million
Proportion of cancer deaths attributable to smoking	27.1%
Residents' state & federal tax burden from smoking-caused government expenditures	\$691 per household
Estimated annual tobacco industry marketing in state	\$63.0 million
Ratio of industry marketing to state tobacco prevention spending	24.4 to 1

Nebraska


Total Annual Tobacco Prevention Spending FY2007-FY2019



CDC Recommended Spending: \$20.8 million

Nevada


State Spending Summary	FY2019	FY2018
State Ranking	39	38
State Spending On Tobacco Prevention	\$1.0 million	\$1.0 million
% of CDC Recommended Spending (\$30.0 million)	3.2%	3.2%



Tobacco's Toll in Nevada	
Adults who smoke	17.6%
High school students who smoke	6.7%
High school students who use e-cigarettes	15.5%
Deaths caused by smoking each year	4,100
Annual health care costs directly caused by smoking	\$1.08 billion
Proportion of cancer deaths attributable to smoking	30.9%
Residents' state & federal tax burden from smoking-caused government expenditures	\$726 per household
Estimated annual tobacco industry marketing in state	\$64.2 million
Ratio of industry marketing to state tobacco prevention spending	67.6 to 1

Nevada


Total Annual Tobacco Prevention Spending FY2007-FY2019



CDC Recommended Spending: \$30.0 million


New Hampshire

State Spending Summary	FY2019	FY2018
State Ranking	46	47
State Spending On Tobacco Prevention	\$140,000	\$140,000
% of CDC Recommended Spending (\$16.5 million)	0.8%	0.8%




Tobacco's Toll in New Hampshire	
Adults who smoke	15.7%
High school students who smoke	7.8%
High school students who use e-cigarettes	23.8%
Deaths caused by smoking each year	1,900
Annual health care costs directly caused by smoking	\$790 million
Proportion of cancer deaths attributable to smoking	27.0%
Residents' state & federal tax burden from smoking-caused government expenditures	\$790 per household
Estimated annual tobacco industry marketing in state	\$87.6 million
Ratio of industry marketing to state tobacco prevention spending	625.5 to 1

New Hampshire Total Annual Tobacco Prevention Spending FY2007-FY2019



CDC Recommended Spending: \$16.5 million

New Jersey Total Annual Tobacco Prevention Spending FY2007 - FY2019




CDC Recommended Spending: \$103.3 million

*FY15 annual spending estimated, not confirmed by state health department.

New Mexico


Total Annual Tobacco Prevention Spending FY2007-FY2019



CDC Recommended Spending: \$22.8 million

New York


Total Annual Tobacco Prevention Spending FY2007-FY2019



CDC Recommended Spending: \$203.0 million


North Carolina

Total Annual Tobacco Prevention Spending FY2007-FY2019



CDC Recommended Spending: \$99.3 million


North Dakota Total Annual Tobacco Prevention Spending FY2007-FY2019



CDC Recommended Spending: \$9.8 million

Ohio


Total Annual Tobacco Prevention Spending FY2007-FY2019



CDC Recommended Spending: \$132.0 million

Oklahoma


Total Annual Tobacco Prevention Spending FY2007-FY2019



CDC Recommended Spending: \$42.3 million

Oregon


Total Annual Tobacco Prevention Spending FY2007-FY2019



CDC Recommended Spending: \$39.3 million


Pennsylvania

Total Annual Tobacco Prevention Spending FY2007-FY2019




CDC Recommended Spending: \$140.0 million

Rhode Island Total Annual Tobacco Prevention Spending FY2007-FY2019




CDC Recommended Spending: \$12.8 million

South Carolina Total Annual Tobacco Prevention Spending FY2007-FY2019



CDC Recommended Spending: \$51.0 million


South Dakota Total Annual Tobacco Prevention Spending FY2007-FY2019



CDC Recommended Spending: \$11.7 million

Tennessee


Total Annual Tobacco Prevention Spending FY2007-FY2019



CDC Recommended Spending: \$75.6 million

Texas


Total Annual Tobacco Prevention Spending FY2007-FY2019



CDC Recommended Spending: \$264.1 million

Utah


Total Annual Tobacco Prevention Spending FY2007-FY2019



CDC Recommended Spending: \$19.3 million

Vermont

Total Annual Tobacco Prevention Spending FY2007-FY2019




CDC Recommended Spending: \$8.4 million

*Vermont's FY19 state spending number reflects a change in categorization of state spending.


Virginia

Total Annual Tobacco Prevention Spending FY2007-FY2019




CDC Recommended Spending: \$91.6 million

Washington Total Annual Tobacco Prevention Spending FY2007-FY2019




CDC Recommended Spending: \$63.6 million

West Virginia Total Annual Tobacco Prevention Spending FY2007-FY2019



CDC Recommended Spending: \$27.4 million


Wisconsin Total Annual Tobacco Prevention Spending FY2007-FY2019



CDC Recommended Spending: \$57.5 million

Wyoming

Total Annual Tobacco Prevention Spending FY2007-FY2019



CDC Recommended Spending: \$8.5 million