

Implementation date and additional rounds

2010

Package coverage

Health warnings are required to cover 43% of the front and 53% of the back of the package. Overall, 48% of the package space is appropriated to health warnings.

Rotation schedule and history












Fourteen health warnings are used on cigarette packages.

Restrictions on misleading information

Unspecified.

WARNINGS

2010

 <p>Smēķēšana izraisa stipru atkarību, nesāc!</p>	 <p>Tabakas dūmi satur benzolu, nitrozamīnus, formaldehīdu un zīdskābi</p>	 <p>Smēķēšana grūtniecības laikā kaitē Jūsu bērnam</p>	 <p>Smēķēšana var pasliktināt asinsriti un izraisīt impotenci</p>
 <p>Smēķēšana var izraisīt leņķu un mokošu nāvi</p>	 <p>Smēķētāji mirst jauni</p>	 <p>Smēķēšana izraisa neārstojamu plaušu vēzi</p>	 <p>Sargiet bērnus: nelieciet viņiem elpot tabakas dūmus!</p>
 <p>Smēķēšana paātrina ādas novecošanos</p>	<p>0803 00 00 00 Izvēlieties brīvību, mēs jums palīdzēsim</p> <p>Lūdz palīdzību, lai atņemtu smēķēšanu</p>	<p>Jūs varat to izdarīt, mēs varam palīdzēt</p> <p>Pārtraukt smēķēšanu jums var palīdzēt Jūsu ģimenes ārsts un farmaceits</p>	<p>Koronārās sirds slimības risks samazinās par 50% pēc 1 gada atturēšanās no smēķēšanas</p> <p>Smēķēšanas atmešana samazina rīdību saistīt ar nodarstojamām sirds un plaušu slimībām</p>
 <p>Smēķēšana var ātri samazināt asinsriti, pasliktināt sirds un asinsvadu sistēmas un izraisīt insultu</p>	 <p>Smēķēšana var kaitēt spermatozoidiem un samazināt auglību</p>		